



AmeriSci Los Angeles

24416 S. Main Street, Suite 308
Carson, CA 90745
Tel: 310-924-5722
Fax: 310-924-5722

Product Testing Analysis Summary

Work Order Number: 1110-00041

Customer: The Hon Company
220 Oak St
Muscatine, IA 52761

Date: 10/25/11

Attention: Chris Zorich

Customer Ref:

Compliance Requirement: CPSC/CPSIA Section 101, 16 CFR 1303

Sample Ref	Description	Component	Lead Content (ppm)	RL (ppm)	CPSC/CPSIA Requirement
1	Geneva Black 9-7-11	5x5 Painted Metal	<20	20	90
2	Geneva Titanium 9-7-11	5x5 Painted Metal	<30	30	90
3	Cedartown Titanium Powder 9-9-11	5x5 Painted Metal	<20	20	90
4	Cedartown Black Liquid 9-9-11	5x5 Painted Metal	<20	20	90
5	Cedartown Black Powder 9-9-11	5x5 Painted Metal	<20	20	90

Reviewed By/Title:

Lab. Director

Date: 10/26/11

Definitions: RL= Reporting Limit, ppm = parts per million, CPSC = Consumer Product Safety Commission
CPSIA = Consumer Product Safety Improvement Act

CPSC/CPSIA Requirement: Section 101 Lead Content: < 300 ppm, 16 CFR 1303 Lead Paint/Coatings: < 90 ppm

This analysis summary only relates to the items/components tested, unless specifically noted in the summary. Testing is performed following the CPSC/CPSIA guidelines from CPSIA Section 101 for lead content in substrate, or 16 CFR 1303 for lead paint and coatings. Specific analysis methods are referenced on the Laboratory Report. Referenced CPSC/CPSIA requirements are current as of the date listed on this summary per public information. AmeriSci Los Angeles makes not claims to product safety, and analytical results are intended to determine compliance to regulatory standards. Analytical results above the referenced requirement have not met the regulatory standard. This summary must not be reproduced, except in full, without written approval from AmeriSci Los Angeles, and is not to be used as endorsement by any accreditation or government body.