



Please Reply To:

**AmeriSci Los Angeles**  
24416 South Main Street, Suite 308  
Carson, CA 90745  
Phone 310-834-4868 / Fax 310-834-4772

**FACSIMILE TELECOPY TRANSMISSION**

**To:** Chris Zorich  
The Hon Company

**AmeriSci Job#** 1111-00060  
**Subject:**

**Fax #**

zorich@honcompany.com

**Date:** Tuesday, November 22, 2011

**Time:** 1:53:43PM

**Comments:**

This report consists of \_\_\_\_\_ pages, including:

- Cover Page (Facsimile Telecopy Transmission)   1   pages
- Laboratory Report   2   pages
- Chain of Custody Record   1   pages
- Air Bill \_\_\_\_\_ pages
- Sample Receiving Form \_\_\_\_\_ pages
- Miscellaneous   \   pages

CONFIDENTIALITY NOTICE: Unless otherwise indicated, the information contained in this facsimile communication is confidential information intended for the use of the individual named above. If the reader of this communication is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please immediately notify the sender by telephone and return the original message to the above address via US Postal Service at our expense. Preliminary data reported here will be verified before final report is issued. Samples are disposed of in 60 days unless otherwise instructed by the protocol or special instructions in writing. Thank you.

**Certified Analysis    Service 24 Hours a Day - 7 Days a Week    Competitive Prices**  
www.amerisci.com

**Boston - Los Angeles - New York - Richmond**



## Laboratory Report

Report Date: 11/22/2011  
 Workorder No.: 1111-00060

Customer: The Hon Company  
 200 Oak Street  
 Muscatine IA 52761

Attention: Chris Zorich  
 Subject:

---

**Sample:** 001      **Description:** Geneva Powder Charcoal / 5x5 Painted Metal  
 Panel

**Collection Date:** 00/00/0000      **Received Date:** 11/18/2011      **Time:** 11:10:00AM

**Matrix:**

<u>Parameter</u>	<u>Method</u>	<u>Results</u>	<u>Units</u>	<u>PQL</u>	<u>Tech</u>	<u>Analysis Date</u>	<u>Qual</u>
Lead, Solid	ICP, EPA SW-846 6010B	<10	ppm	10	MP	11/22/2011	

---

**Sample:** 002      **Description:** Geneva Powder Textured Platinum / 5x5  
 Painted Metal Panel

**Collection Date:** 00/00/0000      **Received Date:** 11/18/2011      **Time:** 11:10:00AM

**Matrix:**

<u>Parameter</u>	<u>Method</u>	<u>Results</u>	<u>Units</u>	<u>PQL</u>	<u>Tech</u>	<u>Analysis Date</u>	<u>Qual</u>
Lead, Solid	ICP, EPA SW-846 6010B	<10	ppm	10	MP	11/22/2011	

---

**Sample:** 003      **Description:** Geneva / NMW Powder Platinum / 5x5 Painted  
 Metal Panel

**Collection Date:** 00/00/0000      **Received Date:** 11/18/2011      **Time:** 11:10:00AM

**Matrix:**

<u>Parameter</u>	<u>Method</u>	<u>Results</u>	<u>Units</u>	<u>PQL</u>	<u>Tech</u>	<u>Analysis Date</u>	<u>Qual</u>
Lead, Solid	ICP, EPA SW-846 6010B	<10	ppm	10	MP	11/22/2011	

---

**Sample:** 004      **Description:** Cedartown Charcoal Liquid / 5x5 Painted Metal  
 Panel

**Collection Date:** 00/00/0000      **Received Date:** 11/18/2011      **Time:** 11:10:00AM

**Matrix:**

<u>Parameter</u>	<u>Method</u>	<u>Results</u>	<u>Units</u>	<u>PQL</u>	<u>Tech</u>	<u>Analysis Date</u>	<u>Qual</u>
Lead, Solid	ICP, EPA SW-846 6010B	<10	ppm	10	MP	11/22/2011	

---

**Sample:** 005      **Description:** Cedartown Platinum Liquid / 5x5 Painted Metal  
 Panel

**Collection Date:** 00/00/0000      **Received Date:** 11/18/2011      **Time:** 11:10:00AM

**Matrix:**

<u>Parameter</u>	<u>Method</u>	<u>Results</u>	<u>Units</u>	<u>PQL</u>	<u>Tech</u>	<u>Analysis Date</u>	<u>Qual</u>
Lead, Solid	ICP, EPA SW-846 6010B	<10	ppm	10	MP	11/22/2011	

---



Customer: The Hon Company  
Workorder No.: 1111-00060

Unless otherwise specified, the samples were received in an acceptable condition and met all holding time and preservation-handling requirements. The laboratory does not correct for field or matrix blanks.

To the best of my knowledge this report is true and accurate.

Authorized By/Title:

MEH/ LAB. DIR.

Date: 11/22/11

The analytical results within this report relate only to the specific compounds and samples investigated and may not necessarily reflect other apparently similar material from the same or similar location.

This report shall not be reproduced, except in full, without the written approval of AmeriSci Los Angeles. No use of this report for promotional or advertising is permitted without the written approval of AmeriSci Los Angeles.

NOTE: All solid results are reported on a dry weight basis unless otherwise noted.

Certifications: CA ELAP: 2322

PQL= Practical Quantitation Limit MDL = Method Detection Limit

**Product Testing Analysis Summary**

Work Order Number: 1111-00060

Customer: The Hon Company  
 220 Oak St  
 Muscatine, IA 52761

Date: 11/22/11


Attention: Chris Zorich

Customer Ref:

Compliance Requirement: CPSC/CPSIA Section 101, 16 CFR 1303

Sample Ref	Description	Component	Lead Content (ppm)	RL (ppm)	CPSC/CPSIA Requirement
1	Geneva Powder Charcoal	5x5 Painted Metal	<10	10	90
2	Geneva Powder Textured Platinum	5x5 Painted Metal	<10	10	90
3	Geneva NMW Powder Platinum	5x5 Painted Metal	<10	10	90
4	Cedartown Charcoal Liquid	5x5 Painted Metal	<10	10	90
5	Cedartown Platinum Liquid	5x5 Painted Metal	<10	10	90

Reviewed By/Title:



Lab. Director

Date: 11/22/11

Definitions: RL= Reporting Limit, ppm = parts per million, CPSC = Consumer Product Safety Commission  
 CPSIA = Consumer Product Safety Improvement Act

CPSC/CPSIA Requirement: Section 101 Lead Content: < 300 ppm, 16 CFR 1303 Lead Paint/Coatings: < 90 ppm

This analysis summary only relates to the items/components tested, unless specifically noted in the summary. Testing is performed following the CPSC/CPSIA guidelines from CPSIA Section 101 for lead content in substrate, or 16 CFR 1303 for lead paint and coatings. Specific analysis methods are referenced on the Laboratory Report. Referenced CPSC/CPSIA requirements are current as of the date listed on this summary per public information. AmeriSci Los Angeles makes not claims to product safety, and analytical results are intended to determine compliance to regulatory standards. Analytical results above the referenced requirement have not met the regulatory standard. This summary must not be reproduced, except in full, without written approval from AmeriSci Los Angeles, and is not to be used as endorsement by any accreditation or government body.

**Zorich, Chris (HON Company)**

111-000600

**From:** Glenn Massey [gmassey@amerisci.com]  
**Sent:** Friday, November 11, 2011 5:18 PM  
**To:** Zorich, Chris (HON Company)  
**Cc:** Rada, Chris (HON Company)  
**Subject:** Re: Emailing: 811100041EE-Hon (Analysis Results)  
**Attachments:** AmeriSci Los Angeles Product Testing COC.pdf

Chris,

Here's the form, you don't need to resubmit the profile form, we only need that once to get your billing account setup. Your pricing is:

5 Day: \$20

3 Day: \$40

48Hr: \$60

24Hr: \$80

(5)

5X5 PAINTED PANELS FOR CPSIA LEAD TESTING

Glenn

On 11/11/2011 11:10, Zorich, Chris (HON Company) wrote:

Glenn, if we have some additional colors for CPSIA lead testing, do we need to re-submit the Client Profile form? If we do, can you email a blank copy?

Also, can you email a blank Product testing chain of custody form and the consumer product lead testing pricing form?

Thanks, Chris

---

**From:** Glenn Massey [mailto:gmassey@amerisci.com]  
**Sent:** Wednesday, October 26, 2011 11:59 AM  
**To:** Zorich, Chris (HON Company); Rein, Russ (HON Company)  
**Subject:** Emailing: 811100041EE-Hon (Analysis Results)

Let me know if you have any questions.

The message is ready to be sent with the following file or link attachments:

811100041EE-Hon

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.

--  
Glenn Massey  
Laboratory Director  
AmeriSci Los Angeles  
24416 S. Main Street, Suite 308  
Carson, CA 90745  
(O) 310-834-4868  
(F) 310-834-4772  
(C1) 310-924-5722  
(C2) 757-944-1394